



KONICA MINOLTA

Giving Shape to Ideas



bizhub 223/283/363/423

The workflow professionals

Office systems bizhub 223/283/363/423




Black & white professionals for colour workflows

Today, almost every workflow involves colour in some form or other. Colour output is not always required, but colour input, via colour scanning, is essential in the modern office. Colour is indispensable for the electronic workflows of teams, workgroups and departments in more or less any business field, including banking, finance and insurance, accounting and personnel. Konica Minolta satisfies these demands with its range of innovative workflow professionals that combine comprehensive black & white output capabilities with flexible and creative colour input functionality.

■ With their fast and efficient colour scanning features, the bizhub 223, bizhub 283, bizhub 363 and bizhub 423 integrate seamlessly into any workflow. In combination with b/w output speeds of 22/28/36/42 pages per minute, the workflow professionals enhance existing output fleets with exactly the appropriate capabilities. As true A3 multifunctionals, they provide complete office communication functionality and print, copy, scan and fax.

■ In combination with Konica Minolta's efficient and versatile software applications, the bizhub 223, 283, 363 and 423 are ideal tools for efficient document capture and distribution workflows, helping to save time and reduce costs. They perfectly complement the Konica Minolta bizhub portfolio that covers b/w speeds between 22 and 75 ppm and colour speeds from 22 to 50 ppm. All of these Konica Minolta multifunctionals adhere to the bizhub OP concept, feature the same Universal Design, operation and feature set, and can be enhanced with extended applications and solutions.

→ Workflow options





Power, innovation and efficiency for scan workflows

→ Fast scanning in colour and b/w

bizhub 223, 283, 363 and 423 are perfect in- and output tools for any situation that requires productive colour scanning with b/w printing or copying. As highly efficient and versatile scanners for up to A3 format they make the little desktop A4 scanners obsolete and also do away with the need for separate scan stations.

All four bizhubs scan up to 70 hard originals per minute in both colour and black & white. The complete scanning functionality of scan to email (Home), FTP, SMB, Box (HDD required), USB, and TWAIN is standard; and with JPEG, TIFF, PDF, compact PDF, XPS and compact XPS, the bizhub 423 series processes all relevant formats.

Same as the other innovative products in the bizhub portfolio, the bizhub 423 series features bEST, Konica Minolta's bizhub Extended Solution Technology. beST offers a gateway to extended document capturing and distribution applications that make the workflow professionals ideal input tools for teams, workgroups and small departments.

→ Document capture and distribution

Among the features indispensable to modern office communication are the digitisation and indexing of documents; OCR implementation, conversion to specific file formats like PDF/A, and direct document distribution to existing business applications. The bizhub 423 series can be optionally upgraded with such comprehensive document capturing and distribution capabilities.

And with full panel integration of the software, no separate hardware is required. Document archiving workflows can for example be started directly at the bizhub panel, inputting all required information like document type and additional index fields during the scan process so that no further treatment of the scans in the PC is needed.

Additionally, an extensive range of optional connectors provides access to almost any imaginable back-end application, including Document Management Systems, Enterprise Content Management Systems, Microsoft® SharePoint, and more.

In this way, bEST enables easy adaptation of the bizhub 423 series to close the gap to customer environments.

Key features	Key benefits
Fast scanning in colour and black & white	Flexibility and versatility from seamless integration into any workflow, colour or b/w
bEST – bizhub Extended Solution Technology	Easy customisation to close the gap to any user environment
Document capturing & distribution	Efficient integration of paper-based and electronic information for further processing, sharing, etc.
Embedded applications	Convenient operation via the bizhub display; no separate hardware (scan station, PC) required

→ Configurations



bizhub 223
bizhub 283

bizhub 363
bizhub 423



Complete compatibility for unified workflows

→ Accounting workflows

The PageScope Account Manager enables the central collection of detailed counter readings of all registered devices plus the resulting cost calculation – and all this via a single interface. Counters no longer need to be triggered individually, saving considerable administrator time and effort. Individual output limitations set by the administrator for each user help reduce print volumes and output costs. Users' volume limitations are reliably tracked across all networked output devices, making cost control even more effective. Offering fast access to detailed cost information of departments and projects, the Account Manager is also a perfect tool to increase cost consciousness among users and optimise output volumes at the same time. In turn, the detailed usage reports facilitate the optimisation of the output infrastructure on the basis of actual usage patterns. All this considerably enhances the overall efficiency and productivity.

→ Authentication workflows

The central management of the user database and user rights is simple and straightforward via the PageScope Authentication Manager. Saving time and enjoying enhanced efficiency, administrators can quickly and easily program authentication details. Users benefit from enhanced flexibility and convenience with the immediate yet secure login via finger vein scanner or non-contact IC card.

Authentication is also the precondition for follow-me printing, which takes user convenience as well as security aspects to new dimensions. Not only are follow-me printing workflows ideal for confidential printing anywhere; they also facilitate print fleet optimisation. Both pull printing and secure printing are available on every bEST OpenAPI-capable system in the network. Printed information is reliably safe as only the document owner can release prints directly at the device. This simple but effective method avoids wasting paper and helps reduce print volumes – output trays are no longer cluttered with redundant prints that might fall into the wrong hands.

This is also the ideal tool to implement efficient cost reductions, through the optimisation of the print fleet with devices that can double as personal printers.



→ Administrative workflows

The PageScope Net Care Device Manager facilitates the central implementation of system network configurations and central status monitoring. Considerably reducing administrative efforts, this application provides fast access to and simple monitoring of individual or all devices on the network, helping to maximise the uptime of all monitored equipment. Streamlined status recalls and automatic email notifications ensure instant attention to problems and help avoid any bottlenecks in printing. This maximises uptime, which in turn improves the productivity of all integrated systems and has a welcome positive impact on the overall office productivity.

→ Automated service workflows

CS Remote Care is Konica Minolta's proven remote monitoring system that ensures pro-active and highly flexible service support. All relevant system data are transmitted directly to the Konica Minolta service in an automated process that never needs user intervention. The direct transmission of any technical problem from the output device to the service organisation minimises downtime and avoids time-consuming service calls.

Taking counter readings and relaying them to the Konica Minolta service is also a thing of the past. At the same time, CS Remote Care provides automated logistics, regularly checking the consumables status and ordered stock. Manual reordering is no longer necessary; instead companies benefit from optimised work efficiency from the intelligent on-time delivery of consumables.



Key features

Key benefits

Accounting workflows

Efficient and centralised cost control with minimised administrator effort

Follow-me printing

Supports print fleet optimisation and secure printing; reduces wasted paper

Administrative workflows

Time savings and enhanced productivity from central management of all networked devices

CS Remote Care

Smoothly running output devices; no sudden interruptions and maximised system availability



Important aspects for corporate interests

→ Complete compatibility

Like the other bizhub multifunctionals in the Konica Minolta portfolio, the bizhub 223/283/363/423 feature proprietary Emperon™ controller technology that ensures their seamless integration into any standard network setup, which makes them compatible with virtually any customer environment. With standard PCL, PostScript 3, PDF and XPS support, the Emperon™ provides maximum compatibility and is CITRIX ready as well; Windows drivers are WHQL certified. At the same time, bizhub 223/283/363/423 are SAP certified, with Konica Minolta a Gold Partner in the SAP Printer Vendor Programme. Users benefit from simple and straightforward installation and assured reliability as well as SAP customer support.

→ Comprehensive security

Featuring Konica Minolta's generous security standards, bizhub 223, 283, 363 and 423 are certified to ISO 15408 EAL3. This official security certification represents international standards and underlines the superiority of the Konica Minolta security technologies. All four systems can be connected

to secure networks with client authentication via IEEE 802.1x; offer safe network communication by encryption with the IPsec protocol; and feature standard HDD encryption to protect all data on the hard disc against unauthorised use. Authentication via optional finger vein scanner or non-contact ID card reliably limits system access to authorised users and is more convenient than typing in user names and passwords.

→ User-friendly operation

Thanks to their extremely low noise level and very quiet operation, bizhub 223/283/363/423 are very comfortable to work side by side with and perfectly suited for installation in any location, including open-plan offices. User convenience is enhanced with a number of special system features, such as the animated help and user guidance. An optional keyboard further supports the simple and straightforward operation. And the MyTab Printer driver adds extra operation ease, letting users individually combine their frequently needed features in a single setting screen. Corporate environments benefit from the minimised learning curve: To operate the bizhub 423 series, virtually no training is necessary.



→ Impressive eco-performance

bizhub 223/283/363/423 offer numerous energy conserving features and are Energy Star and German Blue Angel certified. They impress with very low TEC values that remain well below latest Energy Star regulations and underline the eco-friendly operation. The TEC value represents a product's typical electricity consumption (TEC) within one week, based on average office use. Even with options such as a finisher installed, these products have extremely low energy consumption. This makes the bizhub 423 series not only environmentally sound but can also help considerably to reduce operation costs.

One key factor for the eco-friendly operation is Konica Minolta's unique Simitri® HD polymerised toner: With its lower fusing point it requires a shorter warm-up time and helps to reduce energy consumption and CO₂ emissions. At the same time, Simitri® HD polymerised toner is partially plant-based, its use of biomass as well as its production process answering the demands of the modern, CO₂-conscious society.

With low power and sleep mode, the bizhub 423 series offers two power saving modes to reduce energy consumption during idle phases. From both modes, the systems restart automatically as soon as a user operates a panel key or a print job comes in. Incoming faxes do not restart the machine but are stored in a secure memory until the device is reactivated by another process.

→ Minimised ecological impact

In compliance with its ISO 14001-based environmental management system, Konica Minolta promotes resource-friendly product development, including the use of recycled materials wherever possible, and a consumables design that enables the fast and simple separation into their component materials for easy recycling.

This is part of the zero-waste manufacturing concept, with which Konica Minolta strives to minimise the ecological impact of its products with efficient environmental activities throughout all stages of the product lifecycle.

Key features

Key benefits

Emperon™
Controller
Technology

Easy client and server installation and highest reliability thanks to seamless system integration and WHQL-certified drivers

ISO 15408EAL3
certification

Certified security features protect company data

User-friendly design
and operation


Time savings from intuitive user operation; comfortable to work close to, due to low running noise

Ecologically sound
build and
performance

Facilitates eco-conscious purchasing and helps reduce running costs



➔ Option diagram bizhub 223/283/363/423



*Options on blue line are standard for bizhub 363/423

➔ Option descriptions bizhub 223/283/363/423

bizhub 223/283/363/423 Communication centers with 22/28/36/42 ppm in b/w. Standard Emperon™ print controller with PCL 6, PostScript 3, PDF 1.7 and XPS support. Paper capacity of 500 + 500 sheets and 150 sheets manual bypass. Media from A6 to A3 and 60–210 gsm. 2 GB memory, and Gigabit Ethernet standard. bizhub 363/423 come equipped with ADF and 250 GB hard disc.

DF-621 Document feeder*	Automatic document feeding of up to 100 originals
OC-509 Original cover	Cover instead of ADF
FS-527 Staple finisher	50 sheet stapling, output capacity 3,200 sheets
PK-517 Punch kit	4 hole punching
JS-603 Job separator	Separation of e.g. fax and copy/print output for FS-527
SD-509 Saddle kit	Booklet finishing
FS-529 Staple finisher	50 sheet stapling, output capacity 300 sheets
JS-505 Job separator	Separation of e.g. fax and copy/print output
PC-109 1x Paper cassette	A5–A3; 1 x 500 sheets; 60–90 gsm
PC-208 2x Paper cassette	A5–A3; 2 x 500 sheets; 60–90 gsm
PC-409 Large paper cassette	A4; 2,500 sheets; 60–90 gsm

DK-508 Copier desk	Storage of paper; etc.
AU-102 Biometric authentication	Finger vein scanner
IC-Card reader	IC-Card reader for various card technologies
KH-101 Keyboard holder	To place the USB keyboard
EK-604 I/F kit	USB keyboard connection
EK-605 I/F kit	USB keyboard connection and Bluetooth
MK-726 Fax mount kit	I/F board for fax FK-508
FK-508 Fax board	Super G3 fax
WT-506 Working table	Authentication device placement
LK-101v2 i-Option licence	Webbrowser, Image panel
LK-102 i-Option licence	PDF enhancement
LK-105 i-Option licence	Searchable PDF
UK-203 i-Option memory	Memory extension for i-Option
HD-516 Hard disc*	i-Option, box, authentication, animation guidance, mobile printing, etc. Standard for bizhub 363/423
SC-507 Security Kit	Copy Guard function

*Options standard for bizhub 363/423



➔ Finishing options bizhub 223/283/363/423



corner stapling



2-point stapling



four-hole punching




duplex



combined mixplex/mixmedia



booklet



offset sorting

➔ Technical specifications bizhub 223/283/363/423

■ Copier specifications

Copying process	Electrostatic laser copy; Tandem; indirect
Toner system	Simitri® HD - polymerised toner
Copy/print speed A4 (mono)	Up to 22 cpm (bizhub 223) Up to 28 cpm (bizhub 283) Up to 36 cpm (bizhub 363) Up to 42 cpm (bizhub 423)
Copy/print speed A3 (mono)	Up to 14 cpm (bizhub 223) Up to 16 cpm (bizhub 283) Up to 20 cpm (bizhub 363) Up to 21 cpm (bizhub 423)
Autoduplex speed A4 (mono)	Up to 22 cpm (bizhub 223) Up to 28 cpm (bizhub 283) Up to 36 cpm (bizhub 363) Up to 42 cpm (bizhub 423)
1st Copy/print time	4.2 sec. (bizhub 223/283) 3.6 sec. (bizhub 363/423)
Warm-up time	Approx. 25 sec.* (bizhub 223/283 without HDD) Approx. 30 sec.* (bizhub 363/423)
Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multi-copy	1–9,999
Original format	A5–A3
Magnification	25–400% in 0.1% steps; Autozooming
Copy functions	Chapter, cover and page insertion Proof copy (print, screen with HDD) Adjustment test print Digital art functions Job setting memory Poster Mode, Image repeat Overlay; Watermark; Stamping; Copy Protection Card Shot

■ Printer specifications

Print resolution	Equivalent to 1,800 x 600 dpi
Controller CPU	MPC8533E @ 667 MHz
Page description language	PCL 6 PCL 5e/c (XL3.0) PostScript 3 (CPSI 3016) XPS
Operating systems	Windows 2000/XPx32/XPx64 Windows VISTA x32/x64 Windows 7 x32/x64 Windows Server 2000/2003/2003x64/2008/2008x64 Windows DPWS support Macintosh 9.2/10.2/10.4 Unix/Linux/Citrix
Printer fonts	80x PCL Latin 137x PostScript 3 Emulation Latin
Print functions	Direct print of PCL, PS, TIFF, JPEG, XPS, PDF and Encrypted PDF files Mixmedia and Mixplex Job programming "Easy Set" Overlay, Watermark, Copy Protection

■ Scanner specifications

Scan speed	Colour/Mono up to 70 opm (300 dpi via DF) Colour/Mono up to 42 opm (600 dpi via DF)
Scan resolution	Max.: 600 x 600 dpi
Scan modes	Network TWAIN scan Scan-to-eMail (Scan-to-Me) Scan-to-FTP Scan-to-SMB (Scan-to-Home) Scan-to-Box (HDD required) Scan-to-WebDAV Scan-to-DPWS Scan-to-USB

File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; Outline PDF; Searchable PDF (optional); XPS; Compact XPS
Scan destinations	2,100 (single + group); LDAP support
Scan functions	Annotation (text/time/date) for PDF (HDD required) Up to 400 job programs

■ Fax specifications

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax (with HDD); IP-Fax (with HDD)
Fax resolution	Max.: 600 x 600 dpi (ultra-fine)
Fax compression	MH, MR, MMR, JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,100 (single + group)
Fax functions	Polling; Time shift; PC-Fax Receipt to confidential box (HDD required) Receipt to email; FTP; SMB Up to 400 job programs

■ User box specifications (HDD required)

Max. user boxes	1,000
Max. storable documents	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public, Personal (with password or authentication) Group (with authentication)
Type of system boxes	Secure print, Encrypted PDF print, Fax receiving, Fax polling
User box functionality	Reprint; combination; download; sending (email, ftp, smb and fax); copy box to box

■ System specifications

System memory	2,048 MB
System hard disc	250 GB (optional for bizhub 223/283, standard for bizhub 363/423)
HDD required for	Complete functionality of: Box (incl. Secure Print), Animated Guidance, i-Option, PSES, Mobile Printing, OpenAPI Copy functions: Program Job, Overlay Print functions: Secure print Scan functions: Scan Annotation FAX functions: I-FAX, IP Address Fax Authentication functions: PageScope Authentication Manager USB direct print: Encrypted PDF
Interface	10/100/1,000 Base-T Ethernet USB 2.0
Network protocols	TCP/IP (IPv4/IPv6) IPX/SPX NetBEUI AppleTalk (EtherTalk) SMB; LPD; IPP; SNMP; HTTP
Frame types	Ethernet 802.2 Ethernet 802.3 Ethernet II Ethernet SNAP
Automatic document feeder (optional for bizhub 223/283, standard for bizhub 363/423)	Up to 100 originals A6–A3 35–128 gsm simplex 50–128 gsm duplex
Printable paper size	A6–A3 Customised paper sizes (90–297 x 139.7–431.8 mm)
Printable paper weight	60–210 gsm
Paper input capacity	Standard: 1,150 sheets Max.: 3,650 sheets
Tray 1	500 sheets A5–A3 60–90 gsm
Tray 2	500 sheets A5–A3 60–90 gsm

* Warm up time may vary depending on the operating environment and usage

Tray 3 (optional)	500 sheets A5–A3 60–90 gsm
Tray 3 + 4 (optional)	2x 500 sheets A5–A3 60–90 gsm
Large capacity cassette	2,500 sheets A4 60–90 gsm
Manual bypass	150 sheets A6–A3 60–210 gsm
Automatic duplexing	A5–A3 60–90 gsm
Finishing modes (optional)	Offset; Group; Sort; Staple; Punch; Centre-fold; Booklet
Output capacity (w. finisher)	Max.: 3,200 sheets
Output capacity (w/o finisher)	Max.: 250 sheets
Stapling	50 sheets or 48 sheets + 2 cover sheets (up to 209 gsm)
Stapling output capacity	Max.: 1,000 sheets
Booklet	15 sheets or 14 sheets + 1 cover sheet (up to 209 gsm)
Booklet output capacity	75 sheets (tray)
Copy/print volume (monthly)	Recommended/Max.: 2,900/19,000 (bizhub 223) Recommended/Max.: 4,800/28,000 (bizhub 283) Recommended/Max.: 7,900/48,000 (bizhub 363) Recommended/Max.: 10,700/60,000 (bizhub 423)
Toner lifetime	Up to 17,500 (bizhub 223/283) Up to 25,000 (bizhub 363/423)
Drum/Developer lifetime	Up to 80,000 (bizhub 223) Up to 100,000 (bizhub 283) Up to 110,000 (bizhub 363) Up to 120,000 (bizhub 423)
Power consumption	220-240 V / 50/60Hz Less than 1.5 KW
System dimensions (W x D x H, mm)	623 x 794 x 700 (bizhub 223/283) 623 x 799 x 816 (bizhub 363/423)
System weight	Approx. 66 kg (bizhub 223/283) Approx. 78 kg (bizhub 363/423)

■ System features

Security	ISO15408 EAL3 (in evaluation) IP filtering and port blocking SSL2, SSL3 and TLS1.0 network communication IPsec support IEEE 802.1x support User authentication, authentication log Secure Print (HDD required) Hard disc overwrite (8 standard types) Hard disc data encryption Memory data auto deletion Confidential fax receiving Print user data encryption Copy Guard and Password Copy
Accounting	Up to 1,000 user accounts (100 accounts without HDD) Active Directory support (user name + password + email + smb folder) User function access definition Biometric Authentication (finger vein) optional IC-Card authentication (IC-Card reader) optional
Software	PageScope Net Care Device Manager PageScope Data Administrator PageScope Box Operator PageScope Direct Print Print Status Notifier Driver Packaging Utility Log Management Utility






KONICA MINOLTA

Simitri HD

High Definition Polymerised Toner



SAP® Printer Vendor Solution



- All specifications relating to paper capacity refer to A4-size paper of 80 gsm quality
- All specifications relating to scanning, copying or printing speeds refer to A4-size paper that is scanned, copied or printed crosswise in multipage, simplex mode.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications, network protocols as well as network and system configurations
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5 % coverage of A4). The actual consumables life will vary depending on the use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity
- Some of the product illustrations contain optional accessories
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice
- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks, of Microsoft Corporation in the United States and/or other countries
- SAP and all SAP logos are trademarks or registered trademarks of SAP AG in Germany and in several other countries
- All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged

Your Konica Minolta Business Solutions Partner:



Konica Minolta
Business Solutions Europe GmbH
 Europaallee 17
 30855 Langenhagen • Germany
 Tel.: +49 (0) 511 74 04-0
 Fax: +49 (0) 511 74 10 50
 www.konicaminolta.eu

